

SSBS PVT LTD

Category Name: Filter Housings

Product Name: Cartridge Filter Housing



SSBS PVT LTD SPRINT (SSBS) has built a enjoy reputation of supplying Quality based fluid separation and filtration products as well as packaged water treatment systems and dust collection systems.

SSBS has wide experience of delivering the products as per requirements of Chemicals, Pharmaceutical, Petro-Chemicals, Refineries, Fertilizers, Agro-chemicals, Bulk Drugs, Power Generation, Steel, Paper and Pulp, Chlor- Alkalis-Caustic, Viscose Fiber Industries and many more.

Brief About the Product:

SSBS Sprint Brand Cartridge Filter Housing system offers wide range of flow capacities & contaminant holding capacities with durable quality. Its diameters can accommodate around 1 to 200 cartridges in single housings. SSBS Sprint Brand Cartridge filters are normally used as polishing & pretreatment filter in almost all types of process industries. SSBS Sprint Brand filters are constructed with filter housing, filter cartridges, sheet, positive sealing tube arrangement for cartridge depending upon type of cartridge & choice of end connections. Positive sealing arrangement for cartridge filter assures there is no particle migration or fiber migration, even after high differential pressures.

Material Composition:

They are made of following material such as -

- SS 316
- SS 304
- Ss316L
- CARBON STEEL (ALL GRADE).
- MILD STEEL.
- ALLOY METALS.
- POLYPROPYLENE.
- LEAD LINING on Any Metal.
- RUBBER LINING on Any Metal.

OUALITY APPROACH:

We at SSBS are committed to meet our customers' requirements for their entire satisfaction.

To achieve our goal, we continuously improve our work performance, & our Quality Management System. Since SSBS is an industry wherein, quality testing is very stringent since it affects the final products., stage wise inspection on finished products to ensure the quality product

Sizes Available:

- 1 No. To 200 Nos. Of Cartridges in Single Housing.
- 2", 2.5", 4", Diameter of Cartridge.
- 10", 20", 30", 40", Length of Filter cartridge.

Technical Specification:

Sizes (SSBS Sprint Brand Cartridge filter housings suitable for)

- 1 No. To 200 Nos. Of Cartridges in Single Housing.
- 2", 2.5", 4", Diameter of Cartridge.
- 10", 20", 30", 40", Length of Filter cartridge.

Flow Rate

• Capacity: Up to 2000 m3 /hr & more.

SSBS Sprint Brand Cartridge filter housing suitable for filter cartridges of

• Double Open End (DOE) Type.

Application:

SSBS Sprint Brand Cartridge Filter Housing widely used in

- Chemical and medicine industry
- Water treatment
- RO Pre filtration
- Power plants
- Textile dyes
- Papermaking
- Paint and ink
- Food and beverage
- Petroleum products
- Electroplating

- Code 7 (226 O' Ring) Design.
- Code 3 (222 O' Ring) Design.
- NPT Threaded Connection Type.

Gasket / O Ring Material

- Neoprene
- Nitrile
- Silicone
- Viton
- Buna N
- EPDM

End connections available

- NPT / BSP Threaded
- Flanged Table E / Table F
- ANSI B 16.5 Flanged
- DIN Standard
- Tri Clover Adaptors

- Bore Well water
- Hot solvent, emulsion
- Ultrasonic cleaning machine
- High pressure cleaning machine
- Cosmetics

They are 100% strict quality control, durable, factory price.

Name and address of Company: SSBS PVT LTD

Corporate Office: Mahaveer Nagar, Ring road no 1, Raipur – 492001, Chhattisgarh

Regional Office: 108 1st floor right side Madangir New Delhi

Regional Office: 3rdfloor, 43-11-2 Sri Sai residency, Subhalaxmi nagar, Vishakahpatnam

5300016

Mobile Numbers: 8287108192, 7828550882

MSME Number: AP10A0022358

Email Id: reachus@thessbs.in