

SSBS PVT LTD

Category Name: Filter Consumables

Product Name: High Flow Cartridges



Category Name: Filter Consumables

Product Name: High Flow Cartridges

SSBS SPRINT - SSBS has built a enjoy	Brief About the Product: Sprint Brand High
reputation of supplying Quality water filtration	Flow Pleated Filter Cartriges are made from depth
products, STP products, FRP/GRP and	fine PP or GF non-woven fabrics. The filter has a
Thermoplastics Lined & Composites products in	big diameter of 6 inch/l52mm and no inner core,
India. SSBS is satisfactorily supporting industry	single open. The inside flow pattern ensure that all
needs with the complete range of composites	the particles will be intercepted at the inside of the
viz.FRP, GRP, FRP-HT (High Temperature) and	filter. The long service life and high flow rate
Thermoplastics like PP, PPH, PVC, CPVC,	result in low investment and less manpower in
PVDF, ECTFE, FEP and PFA Lined FRP Equipment and Piping Systems.SSBS has wide experience of delivering the	many applications. Material Composition: Sprint Brand High Flow
products as per requirements of Chemicals,	Pleated Filter Cartriges
Pharmaceutical, Petro-Chemicals, Refineries,	Filter media : Pleated glass fiber, Pleated depth
Fertilizers, Agro-chemicals, Bulk Drugs, Power	Polypropylene(PP)
Generation, Steel, Paper and Pulp, Chlor- Alkalis-	Support / Drainage : Polypropylene(PP)
Caustic, Viscose Fiber Industries and many more.	End cap : Glass fiber reinforced Polypropylene
QUALITY APPROACH:	Sizes Available:

We at SSBS are committed to meet our customers' requirements for their entire satisfaction. To achieve our goal, we continuously improve our work performance, train our persons, & improve our Quality Management System. Since SSBS is an industry wherein moulder prepares raw material as well as finished products, quality testing is very stringent since it affects the final products. "SSBS" has carry out testing of raw materials, stage wise inspection and on finished products to ensure the quality product	 SSBS Sprint High Flow Pleated Filter Cartriges consist available in different sizes such as 20.69 "(525mm), 40.69"(1033mm), 60.69 "(1541mm)
Technical Specification:	Application: SSBS Sprint Brand High Flow
SSBS Sprint High Flow Pleated Filter Cartriges	 Pleated Filter Cartriges widely used in Prefiltration of RO, Pretreatment of seawater desalination. Condensate water filtration, hot water recovery in power generation.
	• API, solvents, and water filtration in
Sizes • 20.69 "(525mm), 40.69"(1033mm), 60.69 "(1541mm)	 BioPharm market. The filtration of bottled water, high Fructose, edible oil, soft drinks, and milk. Paints and coatings, Petrochemical,
Micron Rating 1, 4.5, 6, 10,20,40,70,100 Microns 	Refineries.Microelectronics, film, fiber, and resin.Aviation Turbine Fuel, High sulfur diesel
Outer Diameter • 6 inch(152mm)	fuel (HSD), etc.
Inner Diameter • 28 mm	
O Ring Seal	
• EPDM, NBR	
 Salient Features Instantaneous adsorption. Better than activated carbon. High flow rates. Removes dissolved and dispersed oils. High efficiency removal of oils. Low-pressure drop. Media can hold 300 % of its own weight. No release of removed hydrocarbon. 	They are 100% strict quality control, durable, factory price.

Name and address of Company : SSBS PVT LTD

Corporate Office : Mahaveer Nagar, Ring road no 1, Raipur – 492001, Chhattisgarh

Regional Office: 108 1st floor right side, Madangir, New Delhi

Regional Office : 3rdfloor, 43-11-2 Sri Sai residency, Subhalaxmi nagar, Vishakahpatnam 5300016

Mobile numbers : 8287108192, 7828550882

MSME Number : AP10A0022358

Email Id : reachus@thessbs.in