

SSBS PVT LTD



Category Name: Filter Bags (Liquid)

Product Name: Oil Adsorbing Bags



Category Name: Filter Bags (Liquid)

Product Name: Oil Adsorbing Bags

SSBS PVT LTD - SSBS has built a enjoy reputation of supplying Quality water filtration products, STP products, FRP/GRP and Thermoplastics Lined & Composites products in India. SSBS is satisfactorily supporting industry needs with the complete range of composites viz.FRP, GRP, FRP-HT (High Temperature) and Thermoplastics like PP, PPH, PVC, CPVC, PVDF, ECTFE, FEP and PFA Lined FRP Equipment and Piping Systems.

SSBS has wide experience of delivering the products as per requirements of Chemicals, Pharmaceutical, Petro-Chemicals, Refineries, Fertilizers, Agro-chemicals, Bulk Drugs, Power Generation, Steel, Paper and Pulp, Chlor- Alkalis-Caustic, Viscose Fiber Industries and many more.

Brief About the Product: Sprint Brand Oil Adsorbing bags are widely used for onshore and offshore applications. They are precisely made to remove suspended oil from water and other liquids. It has been observed that in any application after oil schemer, there is certain amount of oil is still left within the stream and that fine oil particle can trap within oil adsorbing filter bags. They are made from carefully developed fibers which are responsible to retain oil droplets within the bags that does not come out even at high differential pressure. Like other bags, they are designed for high differential pressure across the filter, enhanced dirt holding capacity and to retain high amount of suspended oil within it. Oil adsorbing bag can remove more than 90% of suspended oil in a single pass itself.

	<p>Material Composition: Sprint Brand Oil Adsorbing bags Made of galvanized, polypropylene or stainless steel.</p>																
<p>QUALITY APPROACH: We at SSBS are committed to meet our customers’ requirements for their entire satisfaction. To achieve our goal, we continuously improve our work performance, train our persons, & improve our Quality Management System. Since SSBS is an industry wherein moulder prepares raw material as well as finished products, quality testing is very stringent since it affects the final products. “SSBS” has carry out testing of raw materials, stage wise inspection and on finished products to ensure the quality product</p>	<p>Sizes Available:</p> <p>Sprint Brand Oil Adsorbing bags</p> <table border="1" data-bbox="813 401 1411 648"> <thead> <tr> <th>Length (mm)</th> <th>Diameter (mm)</th> <th>Filter Area (m²)</th> <th>Volume (Litre)</th> </tr> </thead> <tbody> <tr> <td>420</td> <td>180</td> <td>0.25</td> <td>8</td> </tr> <tr> <td>820</td> <td>180</td> <td>0.5</td> <td>17.5</td> </tr> <tr> <td>510</td> <td>150</td> <td>0.25</td> <td>8</td> </tr> </tbody> </table>	Length (mm)	Diameter (mm)	Filter Area (m ²)	Volume (Litre)	420	180	0.25	8	820	180	0.5	17.5	510	150	0.25	8
Length (mm)	Diameter (mm)	Filter Area (m ²)	Volume (Litre)														
420	180	0.25	8														
820	180	0.5	17.5														
510	150	0.25	8														
<p>Technical Specification:</p> <p>SSBS Sprint Oil Adsorbing bags</p> <p>Easy for Installation</p> <ul style="list-style-type: none"> • Its SDS Seal easily fits within the cage. <p>Double Seal</p> <ul style="list-style-type: none"> • Double seals to prevent liquid bypass. <p>Pressure Seal</p> <ul style="list-style-type: none"> • Much advanced than traditional design; mechanical seal design. <p>Collapse Free</p> <ul style="list-style-type: none"> • Thick wall design to resist deformation under excessive pressure. <p>Universal Compatibility</p> <ul style="list-style-type: none"> • Fits and seals in most brands of standard bag housings. <p>Features</p> <ul style="list-style-type: none"> • Heavy duty oil adsorbing capability, adsorbs trace oil up to twenty-three times of adsorbents dry weight. • Exclusively FDA compliant ultra fine Polypropylene micro fiber media. 100% free of silicon contamination. • Multiple layer depth media composite. 	<p>Application: SSBS Sprint Brand Oil Adsorbing bags widely used in</p> <ul style="list-style-type: none"> • Auto coating & paint • Pharmaceuticals • Water purification & processing • Food & beverage <p>They are 100% strict quality control, durable, factory price.</p>																

<ul style="list-style-type: none"> • Trace oil removal & contaminants retention dual-performance. • 1 ~ 100 micron range, nominal rating.. • Patented SDS & STS pressure seal rings, steel snap-fit rings • Wide chemical compatibilities. • Fiber migration & extractable free media treatment. • Large contaminant retention capacities, extended service lives. • Change-out differential pressure 0.10 MPa, Max. 0.16 MPa. 	
---	--

Name and address of Company : SSBS PVT LTD

Corporate Office : Mahaveer Nagar, Ring road no 1, Raipur – 492001, Chhattisgarh

Regional Office: 108 1st floor right side, Madangir, New Delhi

Regional Office : 3rdfloor, 43-11-2 Sri Sai residency, Subhalaxmi nagar, Vishakahpatnam 5300016

Mobile numbers : 8287108192, 7828550882

MSME Number : AP10A0022358

Email Id : reachus@thessbs.in