

SSBS PVT LTD

Category Name: Filter Consumables

Product Name: Stainless Steel Filter Cartridges



SSBS SPRINT - SSBS has built a enjoy reputation of supplying Quality based fluid & filtration products


SSBS has wide experience of delivering the products as per requirements of Chemicals, Pharmaceutical, Petro-Chemicals, Refineries, Fertilizers, Agro-chemicals, Bulk Drugs, Power Generation, Steel, Paper and Pulp, Chlor-Alkalis-Caustic, Viscose Fiber Industries and many more.


Material Composition:

Sprint Brand Stainless steel cartridges are composite fiber material is sintered together with a wire mesh under vacuum conditions and rolled to form mats of a specific thickness. Stainless steel cartridges can be wrought into tubes, cartridges or disks, plain, pleated or according to customer requests.

Brief About the Product:

Sprint Brand Stainless steel cartridges are designed to overcome the temperature and chemical compatibility limitations of fabric or synthetic fiber media. Sprint Brand Stainless steel cartridges will offer very high-temperature resistance & can even withstand high differential pressure. Usually, all stainless steel pleated & cylindrical filters are supported with coarser filter media to ensure no direct damage is inflicted to main filtering media under process upsets. A bubble point test can be done to certify that no opening larger than the specified pore size exist in product joints or seams. No media migration occurs due to stainless steel material. These elements can be

<ul style="list-style-type: none"> • Sprint Brand Stainless steel cartridges are offered in SS 304, SS 316, & SS 316 L materials 	back washed & reused
<p><u>QUALITY APPROACH:</u></p> <p>We at SSBS are committed to meet our customers' requirements for their entire satisfaction.</p> <p>To achieve our goal, we continuously improve our work performance, & our Quality Management System. Since SSBS is an industry where in , quality testing is very stringent since it affects the final products. "SSBS" has, stage wise inspection and on finished products to ensure the quality product</p>	<p><u>Sizes Available:</u></p> <ul style="list-style-type: none"> • SSBS Sprint Stainless Steel Filter Cartridges available in different sizes such as 10", 20", 30", 40" Long (Customized sizes available)
<p><u>Technical Specification:</u></p> <p>SSBS Sprint Stainless Steel Filter Cartridges</p> <p>Sizes</p> <ul style="list-style-type: none"> • 10", 20", 30", 40" Long <p>Micron Rating</p> <ul style="list-style-type: none"> • 0.2, 0.5, 1, 3,5,10, 20, 25, 50 & More <p>Outer Diameter</p> <ul style="list-style-type: none"> • 64 mm <p>Inner Diameter</p> <ul style="list-style-type: none"> • 28 mm <p>Maximum Differential Pressure:</p> <ul style="list-style-type: none"> • 35 psid with a core • 20 psid without a core <p>Salient Features</p> <ul style="list-style-type: none"> • Stable pore shapes. • High permeability. • Low pressure drop. 	<p><u>Application:</u></p> <p>SSBS Sprint Brand Stainless Steel Filter Cartridges widely used in</p> <ul style="list-style-type: none"> • Catalyst Recovery In Petrochemical / Chemical Industries • Polymer Filtration • Cross Flow Filtration • Gas Filtration • Analytical Devices • Medical devices • Oil Filtration • Aerosol Application • Gas – Liquid Separation • R.O. Pre Filtration • Fuel & Hydraulic Oil Filtration 

<ul style="list-style-type: none"> • High dirt-holding capacity (longer lifetime). • High temperature resistance. • High differential pressure, with stand capacity. • Strong corrosion resistant. • Back flushing. 	They are 100% strict quality control, durable, factory price.
<p>Configuration</p> <ul style="list-style-type: none"> • Double Open Type (DOE Type)  <ul style="list-style-type: none"> • Code 7S (226 O' Ring Design / Bayonet) • Code 7F (226 O' Ring Design / Flat) • Code 3S (222 O' Ring Design / Bayonet) • Code 3F (222 O' Ring Design / Flat) • 1" NPT / BSP Connection 	

Name and address of Company : SSBS PVT LTD

Corporate Office : Mahaveer Nagar, Ring road no 1, Raipur – 492001, Chhattisgarh

Regional Office: 108 1st floor right side Madangir New Delhi

Regional Office : 3rdfloor, 43-11-2 Sri Sai residency, Subhalaxmi nagar, Vishakahpatnam 5300016

Mobile numbers : 8287108192, 7828550882

MSME Number : AP10A0022358

Email Id : reachus@thessbs.in